Brain Research, 21 (1994) 368–370
© 1994 Elsevier Science B.V. All rights reserved 0169-328X/94/$07.00

Author Index

Akabayashi, A., Wahlestedt, C., Alexander, J.T. and Leibowitz, S.F.
Specific inhibition of endogenous neuropeptide Y synthesis in arcuate nucleus by antisense oligonucleotides suppresses feeding behavior and insulin secretion (21) 55
Alexander, J.T., see Akabayashi, A. (21) 55
Andres, M.A., see Lafarga, M. (21) 115
Araki, T., see Kondo, E. (21) 363
Asano, T., see Tachibana, M. (21) 355
Austin, M.C., see De Bartolomeis, A. (21) 321
Azmitia, E.C., see Sheu, F.-S. (21) 62

Beleta, J., see Doménech, T. (21) 176
Ben-Dror, I., see Grossman, R. (21) 312
Berciano, M.T., see Lafarga, M. (21) 115
Berschauer, R., see Gall, C.M. (21) 190
Bourdet, C., see Onténiente, B. (21) 225
Brachet, P., see Onténiente, B. (21) 225
Brené, S., Herrera-Marschitz, M., Persson, H. and Lindefors, N.
Expression of mRNAs encoding dopamine receptors in striatal regions is differentially regulated by midbrain and hippocampal neurons (21) 274
Brewster, W.J., see Diemel, L.T. (21) 171
Briand, P., see Onténiente, B. (21) 225
Bronson, D.D., see Reid, R.A. (21) 1
Brooker, G., see De Erausquin, G. (21) 303
Bruinvels, A.T., Landwehrmeyer, B., Probst, A., Palacios, J.M. and Hoyer, D.
A comparative autoradiographic study of 5-HT_{1D} binding sites in human and guinea-pig brain using different radioligands (21) 19
Buggy, J., see Ding, J.M. (21) 247

Cameron, R., Klein, L., Shyjan, A.W., Rakic, P. and Levenson, R.
Neurons and astroglia express distinct subsets of Na,K-ATPase α and β subunits (21) 333
Caron, M.G., see Scheinin, M. (21) 133
Carver, W.C., see Ding, J.M. (21) 247
Chugani, H.T., see Kornblum, H.I. (21) 107
Colin, P., see Onténiente, B. (21) 225
Corona, G.L., see Schinelli, S. (21) 162
Costa, E., see De Erausquin, G. (21) 303
Crawley, J.N., see De Bartolomeis, A. (21) 321
Crespo, P., see Lafarga, M. (21) 115
Cruz Sánchez, F., see Doménech, T. (21) 176

De Bartolomeis, A., Austin, M.C., Goodwin, G.A., Spear, L.P., Pickar, D. and Crawley, J.N.
Dopaminergic and peptidergic mRNA levels in juvenile rat brain after prenatal cocaine treatment (21) 321
De Erausquin, G., Brooker, G., Costa, E. and Hanbauer, I.
Persistent AMPA receptor stimulation alters $[Ca^{2+}]_i$ homeostasis in cultures of embryonic dopaminergic neurons (21) 303
Diemel, L.T., Brewster, W.J., Fernyhough, P. and Tomlinson, D.R.
Expression of neuropeptides in experimental diabetes; effects of treatment with nerve growth factor or brain-derived neurotrophic factor (21) 171
Ding, J.M., Carver, W.C., Terracio, L. and Buggy, J.
Proto-oncogene c-*fos* and the regulation of vasopressin gene expression during dehydration (21) 247
Doménech, T., Beleta, J., Fernández, A.G., Gristwood, R.W., Cruz Sánchez, F., Tolosa, E. and Palacios, J.M.
Identification and characterization of serotonin 5-HT_4 receptor binding sites in human brain: comparison with other mammalian species (21) 176

Ebihara, S., see Goto, M. (21) 349

Fernández, A.G., see Doménech, T. (21) 176
Fernyhough, P., see Diemel, L.T. (21) 171
Fex, J., see Tachibana, M. (21) 355
Fotuhi, M., Standaert, D.G., Testa, C.M., Penney Jr., J.B. and Young, A.B.
Differential expression of metabotropic glutamate receptors in the hippocampus and entorhinal cortex of the rat (21) 283
Fox, L.E., see Grossman, R. (21) 312
Fremeau Jr., R.T., see Scheinin, M. (21) 133

Gahara, Y., see Nakayama, M. (21) 206
Gall, C.M., Berschauer, R. and Isackson, P.J.
Seizures increase basic fibroblast growth factor mRNA in adult rat forebrain neurons and glia (21) 190
Gall, C.M., see Kornblum, H.I. (21) 107
Gammeltoft, S., see Holm, N.R. (21) 67
García-Ladona, F.J., Palacios, J.M., Probst, A., Wieser, H.G. and Mengod, G.
Excitatory amino acid AMPA receptor mRNA localization in several regions of normal and neurological disease affected human brain. An in situ hybridization histochemistry study (21) 75
Gehle, V.M., see Nishizaki, T. (21) 99
Giménez, C., see Gomeza, J. (21) 150
Gomeza, J., Giménez, C. and Zafra, F.
Cellular distribution and regulation by cAMP of the GABA transporter (GAT-1) mRNA (21) 150
Goodwin, G.A., see De Bartolomeis, A. (21) 321
Gorovits, R., see Grossman, R. (21) 312
Goto, M., Oshima, I., Hasegawa, M. and Ebihara, S.
The locus controlling pineal serotonin *N*-acetyltransferase activity (*Nat-2*) is located on mouse chromosome 11 (21) 349
Grimber, G., see Onténiente, B. (21) 225
Gristwood, R.W., see Doménech, T. (21) 176
Grossman, R., Fox, L.E., Gorovits, R., Ben-Dror, I., Reisfeld, S. and Vardimon, L.
Molecular basis for differential expression of glutamine synthetase in retina glia and neurons (21) 312

Han, J., see Pu, S. (21) 183
Hanbauer, I., see De Erausquin, G. (21) 303
Hansen, L.B.H., see Holm, N.R. (21) 67
Hasegawa, M., see Goto, M. (21) 349
Hayden-Hixson, D.M., see Scheinin, M. (21) 133
Hemperly, J.J., see Reid, R.A. (21) 1
Herrera-Marschitz, M., see Brené, S. (21) 274
Holm, N.R., Hansen, L.B.H., Nilsson, C. and Gammeltoft, S.
Gene expression and secretion of insulin-like growth factor-II and insulin-like growth factor binding protein-2 from cultured sheep choroid plexus epithelial cells (21) 67
Horellou, P., see Onténiente, B. (21) 225
Howarth, A.G., see Petrov, T. (21) 235
Hoyer, D., see Bruinvels, A.T. (21) 19

Igwe, O.J.
Modulation of substance P-ergic system in the rat spinal cord by an opioid antagonist (21) 263
Ikemoto, M., see Osugi, T. (21) 256
Isackson, P.J., see Gall, C.M. (21) 190
Isayama, T., see Zagon, I.S. (21) 85
Itoh, N., Yazaki, N., Tagashira, S., Miyake, A., Ozaki, K., Minami, M., Satoh, M., Ohta, M. and Kawasaki, T.
Rat FGF receptor-4 mRNA in the brain is expressed preferentially in the medial habenular nucleus (21) 344

Kawasaki, T., see Itoh, N. (21) 344
Kitamura, T., see Nakayama, M. (21) 206
Kiyama, H., see Kobayashi, N. (21) 9
Kiyama, H., see Kondo, E. (21) 363
Kiyama, H., see Mick, G. (21) 157
Klein, L., see Cameron, R. (21) 333
Kobayashi, N., Kiyama, H. and Tohyama, M.
GAP-43 (B50/F1) gene regulation by axonal injury of the hypoglossal nerve in the adult rat (21) 9
Kondo, E., Kiyama, H., Araki, T., Shida, T., Ueda, Y. and Tohyama, M.
Coexpression of $GABA_A$ receptor $\gamma 1$ and $\gamma 2$ subunits in the rat trigeminal ganglion (21) 363

Brain Research, 21 (1994) 368–370
© 1994 Elsevier Science B.V. All rights reserved 0169-328X/94/$07.00

Author Index

Akabayashi, A., Wahlestedt, C., Alexander, J.T. and Leibowitz, S.F.
Specific inhibition of endogenous neuropeptide Y synthesis in arcuate nucleus by antisense oligonucleotides suppresses feeding behavior and insulin secretion (21) 55
Alexander, J.T., see Akabayashi, A. (21) 55
Andres, M.A., see Lafarga, M. (21) 115
Araki, T., see Kondo, E. (21) 363
Asano, T., see Tachibana, M. (21) 355
Austin, M.C., see De Bartolomeis, A. (21) 321
Azmitia, E.C., see Sheu, F.-S. (21) 62

Beleta, J., see Doménech, T. (21) 176
Ben-Dror, I., see Grossman, R. (21) 312
Berciano, M.T., see Lafarga, M. (21) 115
Berschauer, R., see Gall, C.M. (21) 190
Bourdet, C., see Onténiente, B. (21) 225
Brachet, P., see Onténiente, B. (21) 225
Brené, S., Herrera-Marschitz, M., Persson, H. and Lindefors, N.
Expression of mRNAs encoding dopamine receptors in striatal regions is differentially regulated by midbrain and hippocampal neurons (21) 274
Brewster, W.J., see Diemel, L.T. (21) 171
Briand, P., see Onténiente, B. (21) 225
Bronson, D.D., see Reid, R.A. (21) 1
Brooker, G., see De Erausquin, G. (21) 303
Bruinvels, A.T., Landwehrmeyer, B., Probst, A., Palacios, J.M. and Hoyer, D.
A comparative autoradiographic study of 5-HT_{1D} binding sites in human and guinea-pig brain using different radioligands (21) 19
Buggy, J., see Ding, J.M. (21) 247

Cameron, R., Klein, L., Shyjan, A.W., Rakic, P. and Levenson, R.
Neurons and astroglia express distinct subsets of Na,K-ATPase α and β subunits (21) 333
Caron, M.G., see Scheinin, M. (21) 133
Carver, W.C., see Ding, J.M. (21) 247
Chugani, H.T., see Kornblum, H.I. (21) 107
Colin, P., see Onténiente, B. (21) 225
Corona, G.L., see Schinelli, S. (21) 162
Costa, E., see De Erausquin, G. (21) 303
Crawley, J.N., see De Bartolomeis, A. (21) 321
Crespo, P., see Lafarga, M. (21) 115
Cruz Sánchez, F., see Doménech, T. (21) 176

De Bartolomeis, A., Austin, M.C., Goodwin, G.A., Spear, L.P., Pickar, D. and Crawley, J.N.
Dopaminergic and peptidergic mRNA levels in juvenile rat brain after prenatal cocaine treatment (21) 321
De Erausquin, G., Brooker, G., Costa, E. and Hanbauer, I.
Persistent AMPA receptor stimulation alters $[Ca^{2+}]_i$ homeostasis in cultures of embryonic dopaminergic neurons (21) 303
Diemel, L.T., Brewster, W.J., Fernyhough, P. and Tomlinson, D.R.
Expression of neuropeptides in experimental diabetes; effects of treatment with nerve growth factor or brain-derived neurotrophic factor (21) 171
Ding, J.M., Carver, W.C., Terracio, L. and Buggy, J.
Proto-oncogene c-*fos* and the regulation of vasopressin gene expression during dehydration (21) 247
Doménech, T., Beleta, J., Fernández, A.G., Gristwood, R.W., Cruz Sánchez, F., Tolosa, E. and Palacios, J.M.
Identification and characterization of serotonin 5-HT_4 receptor binding sites in human brain: comparison with other mammalian species (21) 176

Ebihara, S., see Goto, M. (21) 349

Fernández, A.G., see Doménech, T. (21) 176
Fernyhough, P., see Diemel, L.T. (21) 171
Fex, J., see Tachibana, M. (21) 355
Fotuhi, M., Standaert, D.G., Testa, C.M., Penney Jr., J.B. and Young, A.B.
Differential expression of metabotropic glutamate receptors in the hippocampus and entorhinal cortex of the rat (21) 283
Fox, L.E., see Grossman, R. (21) 312
Fremeau Jr., R.T., see Scheinin, M. (21) 133

Gahara, Y., see Nakayama, M. (21) 206
Gall, C.M., Berschauer, R. and Isackson, P.J.
Seizures increase basic fibroblast growth factor mRNA in adult rat forebrain neurons and glia (21) 190
Gall, C.M., see Kornblum, H.I. (21) 107
Gammeltoft, S., see Holm, N.R. (21) 67
García-Ladona, F.J., Palacios, J.M., Probst, A., Wieser, H.G. and Mengod, G.
Excitatory amino acid AMPA receptor mRNA localization in several regions of normal and neurological disease affected human brain. An in situ hybridization histochemistry study (21) 75
Gehle, V.M., see Nishizaki, T. (21) 99
Giménez, C., see Gomeza, J. (21) 150
Gomeza, J., Giménez, C. and Zafra, F.
Cellular distribution and regulation by cAMP of the GABA transporter (GAT-1) mRNA (21) 150
Goodwin, G.A., see De Bartolomeis, A. (21) 321
Gorovits, R., see Grossman, R. (21) 312
Goto, M., Oshima, I., Hasegawa, M. and Ebihara, S.
The locus controlling pineal serotonin *N*-acetyltransferase activity (*Nat-2*) is located on mouse chromosome 11 (21) 349
Grimber, G., see Onténiente, B. (21) 225
Gristwood, R.W., see Doménech, T. (21) 176
Grossman, R., Fox, L.E., Gorovits, R., Ben-Dror, I., Reisfeld, S. and Vardimon, L.
Molecular basis for differential expression of glutamine synthetase in retina glia and neurons (21) 312

Han, J., see Pu, S. (21) 183
Hanbauer, I., see De Erausquin, G. (21) 303
Hansen, L.B.H., see Holm, N.R. (21) 67
Hasegawa, M., see Goto, M. (21) 349
Hayden-Hixson, D.M., see Scheinin, M. (21) 133
Hemperly, J.J., see Reid, R.A. (21) 1
Herrera-Marschitz, M., see Brené, S. (21) 274
Holm, N.R., Hansen, L.B.H., Nilsson, C. and Gammeltoft, S.
Gene expression and secretion of insulin-like growth factor-II and insulin-like growth factor binding protein-2 from cultured sheep choroid plexus epithelial cells (21) 67
Horellou, P., see Onténiente, B. (21) 225
Howarth, A.G., see Petrov, T. (21) 235
Hoyer, D., see Bruinvels, A.T. (21) 19

Igwe, O.J.
Modulation of substance P-ergic system in the rat spinal cord by an opioid antagonist (21) 263
Ikemoto, M., see Osugi, T. (21) 256
Isackson, P.J., see Gall, C.M. (21) 190
Isayama, T., see Zagon, I.S. (21) 85
Itoh, N., Yazaki, N., Tagashira, S., Miyake, A., Ozaki, K., Minami, M., Satoh, M., Ohta, M. and Kawasaki, T.
Rat FGF receptor-4 mRNA in the brain is expressed preferentially in the medial habenular nucleus (21) 344

Kawasaki, T., see Itoh, N. (21) 344
Kitamura, T., see Nakayama, M. (21) 206
Kiyama, H., see Kobayashi, N. (21) 9
Kiyama, H., see Kondo, E. (21) 363
Kiyama, H., see Mick, G. (21) 157
Klein, L., see Cameron, R. (21) 333
Kobayashi, N., Kiyama, H. and Tohyama, M.
GAP-43 (B50/F1) gene regulation by axonal injury of the hypoglossal nerve in the adult rat (21) 9
Kondo, E., Kiyama, H., Araki, T., Shida, T., Ueda, Y. and Tohyama, M.
Coexpression of $GABA_A$ receptor $\gamma 1$ and $\gamma 2$ subunits in the rat trigeminal ganglion (21) 363

Kornblum, H.I., Chugani, H.T., Tatsukawa, K. and Gall, C.M.
Cerebral hemidecortication alters expression of transforming growth factor alpha mRNA in the neostriatum of developing rats (21) 107
Krukoff, T.L., see Petrov, T. (21) 235

Lafarga, M., Crespo, P., Berciano, M.T., Andres, M.A. and Leon, J.
Apolipoprotein E expression in the cerebellum of normal and hypercholesterolemic rabbits (21) 115
Landwehrmeyer, B., see Bruinvels, A.T. (21) 19
Lefkowitz, R.J., see Scheinin, M. (21) 133
Leibowitz, S.F., see Akabayashi, A. (21) 55
Leon, J., see Lafarga, M. (21) 115
Levenson, R., see Cameron, R. (21) 333
Lindefors, N., see Brené, S. (21) 274
Lomasney, J.W., see Scheinin, M. (21) 133
Lu, Z., see Pu, S. (21) 183

Maeno, H., see Mick, G. (21) 157
Makeh, I., see Onténiente, B. (21) 225
Mallet, J., see Onténiente, B. (21) 225
Marshak, D.R., see Sheu, F.-S. (21) 62
McGinty, J.F., see Smith, A.J.W. (21) 359
McLaughlin, P.J., see Zagon, I.S. (21) 85
Mengod, G., see García-Ladona, F.J. (21) 75
Mengod, G., see Vilaró, M.T. (21) 30
Mick, G., Maeno, H., Kiyama, H. and Tohyama, M.
Marginal topography of neurons expressing the substance P receptor in the rat suprachiasmatic nucleus (21) 157
Miki, N., see Osugi, T. (21) 256
Minami, M., see Itoh, N. (21) 344
Miyake, A., see Itoh, N. (21) 344
Morales, A., see Nishizaki, T. (21) 99
Mower, G.D.
Differences in the induction of Fos protein in cat visual cortex during and after the critical period (21) 47

Nakayama, M., Gahara, Y., Kitamura, T. and Ohara, O.
Distinctive four promoters collectively direct expression of brain-derived neurotrophic factor gene (21) 206
Negro, A., Tavella, A., Soranzo, C., Petrelli, L. and Skaper, S.D.
Establishment and characterization of a CHO cell line producing a secreted form of human ciliary neurotrophic factor: neuroprotective effects of the recombinant protein (21) 124
Neveu, I., see Onténiente, B. (21) 225
Nilsson, C., see Holm, N.R. (21) 67
Nishizaki, T., Morales, A., Gehle, V.M. and Sumikawa, K.
Differential interactions of gentamicin with mouse junctional and extrajunctional ACh receptors expressed in *Xenopus* oocytes (21) 99

Ohara, O., see Nakayama, M. (21) 206
Ohta, M., see Itoh, N. (21) 344
Onténiente, B., Horellou, P., Neveu, I., Makeh, I., Suzuki, F., Bourdet, C., Grimber, G., Colin, P., Brachet, P., Mallet, J., Briand, P. and Peschanski, M.
Cell-type-specific expression and regulation of a c-*fos*-NGF fusion gene in neurons and astrocytes of transgenic mice (21) 225
Oshima, I., see Goto, M. (21) 349
Osugi, T., Ikemoto, M., Tanaka, H., Wang, X.-B. and Miki, N.
Modulation by chronic morphine administration of single-stranded cAMP response element (ssCRE) binding proteins in the mouse cerebellum (21) 256
Ozaki, K., see Itoh, N. (21) 344

Palacios, J.M., see Bruinvels, A.T. (21) 19
Palacios, J.M., see Doménech, T. (21) 176
Palacios, J.M., see García-Ladona, F.J. (21) 75
Palacios, J.M., see Vilaró, M.T. (21) 30
Paolillo, M., see Schinelli, S. (21) 162
Parker, P.J., see Sheu, F.-S. (21) 62
Penney Jr., J.B., see Fotuhi, M. (21) 283
Persson, H., see Brené, S. (21) 274
Peschanski, M., see Onténiente, B. (21) 225
Petrelli, L., see Negro, A. (21) 124
Petrov, T., Howarth, A.G., Krukoff, T.L. and Stevenson, B.R.
Distribution of the tight junction-associated protein ZO-1 in circumventricular organs of the CNS (21) 235
Pickar, D., see De Bartolomeis, A. (21) 321
Ponsalle, P., see Yount, G.L. (21) 219
Probst, A., see Bruinvels, A.T. (21) 19
Probst, A., see García-Ladona, F.J. (21) 75
Pu, S., Zhuang, H., Lu, Z., Wu, X. and Han, J.
Cholecystokinin gene expression in rat amygdaloid neurons: normal distribution and effect of morphine tolerance (21) 183

Qin, Z.-H., Zhang, S.-P. and Weiss, B.
Dopaminergic and glutamatergic blocking drugs differentially regulate glutamic acid decarboxylase mRNA in mouse brain (21) 293

Rakic, P., see Cameron, R. (21) 333
Reid, R.A., Bronson, D.D., Young, K.M. and Hemperly, J.J.
Identification and characterization of the human cell adhesion molecule contactin (21) 1
Reisfeld, S., see Grossman, R. (21) 312
Rivolta, M.N., see Tachibana, M. (21) 355
Routtenberg, A., see Sheu, F.-S. (21) 62

Satoh, M., see Itoh, N. (21) 344
Schambra, U.B., see Scheinin, M. (21) 133
Scheinin, M., Lomasney, J.W., Hayden-Hixson, D.M., Schambra, U.B., Caron, M.G., Lefkowitz, R.J. and Fremeau Jr., R.T.
Distribution of α_2-adrenergic receptor subtype gene expression in rat brain (21) 133
Schinelli, S., Paolillo, M. and Corona, G.L.
Modulation of dopamine-induced cAMP production in rat striatal cultures by the calcium ionophore A23187 and by phorbol-12-myristate-13-acetate (21) 162
Sheu, F.-S., Azmitia, E.C., Marshak, D.R., Parker, P.J. and Routtenberg, A.
Glial-derived S100b protein selectively inhibits recombinant β protein kinase C (PKC) phosphorylation of neuron-specific protein F1/GAP43 (21) 62
Shida, T., see Kondo, E. (21) 363
Shyjan, A.W., see Cameron, R. (21) 333
Skaper, S.D., see Negro, A. (21) 124
Smith, A.J.W. and McGinty, J.F.
Acute amphetamine or methamphetamine alters opioid peptide mRNA expression in rat striatum (21) 359
Soranzo, C., see Negro, A. (21) 124
Spear, L.P., see De Bartolomeis, A. (21) 321
Standaert, D.G., see Fotuhi, M. (21) 283
Stevenson, B.R., see Petrov, T. (21) 235
Sumikawa, K., see Nishizaki, T. (21) 99
Suzuki, F., see Onténiente, B. (21) 225

Tachibana, M., Asano, T., Wilcox, E., Yokotani, N., Rivolta, M.N. and Fex, J.
G protein $G_{i2}\alpha$ in the cochlea: cloning and selective occurrence in receptor cells (21) 355
Tagashira, S., see Itoh, N. (21) 344
Tanaka, H., see Osugi, T. (21) 256
Tanaka, K.
Pharmacological characterization of a cloned rat glutamate transporter (GluT-1) (21) 167
Tatsukawa, K., see Kornblum, H.I. (21) 107
Tavella, A., see Negro, A. (21) 124
Terracio, L., see Ding, J.M. (21) 247
Testa, C.M., see Fotuhi, M. (21) 283
Tohyama, M., see Kobayashi, N. (21) 9
Tohyama, M., see Kondo, E. (21) 363
Tohyama, M., see Mick, G. (21) 157
Tolosa, E., see Doménech, T. (21) 176
Tomlinson, D.R., see Diemel, L.T. (21) 171

Ueda, Y., see Kondo, E. (21) 363

Vardimon, L., see Grossman, R. (21) 312
Vilaró, M.T., Palacios, J.M. and Mengod, G.
Multiplicity of muscarinic autoreceptor subtypes? Comparison of the distribution of cholinergic cells and cells containing mRNA for five subtypes of muscarinic receptors in the rat brain (21) 30

Wahlestedt, C., see Akabayashi, A. (21) 55
Wang, X.-B., see Osugi, T. (21) 256
Weiss, B., see Qin, Z.-H. (21) 293
White, J.D., see Yount, G.L. (21) 219
Wieser, H.G., see García-Ladona, F.J. (21) 75
Wilcox, E., see Tachibana, M. (21) 355
Wu, X., see Pu, S. (21) 183

Yazaki, N., see Itoh, N. (21) 344
Yokotani, N., see Tachibana, M. (21) 355
Young, A.B., see Fotuhi, M. (21) 283
Young, K.M., see Reid, R.A. (21) 1
Yount, G.L., Ponsalle, P. and White, J.D. Pentylenetetrazole-induced seizures stimulate transcription of early and late response genes (21) 219

Zafra, F., see Gomeza, J. (21) 150
Zagon, I.S., Isayama, T. and McLaughlin, P.J. Preproenkephalin mRNA expression in the developing and adult rat brain (21) 85
Zhang, S.-P., see Qin, Z.-H. (21) 293
Zhuang, H., see Pu, S. (21) 183